

Karls FFKM O-Ring Detailed Size Table (ID 101mm to 200mm)

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
1	AS568-111	101.00	1.00	3.976	0.039
2	AS568-118	101.00	1.78	3.976	0.070
3	AS568-121	101.00	2.00	3.976	0.079
4	AS568-127	101.00	2.62	3.976	0.103
5	AS568-131	101.00	3.00	3.976	0.118
6	AS568-136	101.00	3.53	3.976	0.139
7	AS568-141	101.00	4.00	3.976	0.157
8	AS568-151	101.00	5.00	3.976	0.197
9	AS568-154	101.00	5.30	3.976	0.209
10	AS568-158	101.00	5.70	3.976	0.224
11	AS568-161	101.00	6.00	3.976	0.236
12	AS568-112	102.00	1.00	4.016	0.039
13	AS568-119	102.00	1.78	4.016	0.070
14	AS568-122	102.00	2.00	4.016	0.079
15	AS568-128	102.00	2.62	4.016	0.103
16	AS568-132	102.00	3.00	4.016	0.118
17	AS568-137	102.00	3.53	4.016	0.139
18	AS568-142	102.00	4.00	4.016	0.157
19	AS568-152	102.00	5.00	4.016	0.197
20	AS568-155	102.00	5.30	4.016	0.209
21	AS568-159	102.00	5.70	4.016	0.224
22	AS568-162	102.00	6.00	4.016	0.236
23	AS568-113	103.00	1.00	4.055	0.039
24	AS568-120	103.00	1.78	4.055	0.070
25	AS568-123	103.00	2.00	4.055	0.079
26	AS568-129	103.00	2.62	4.055	0.103
27	AS568-133	103.00	3.00	4.055	0.118

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
28	AS568-138	103.00	3.53	4.055	0.139
29	AS568-143	103.00	4.00	4.055	0.157
30	AS568-153	103.00	5.00	4.055	0.197
31	AS568-156	103.00	5.30	4.055	0.209
32	AS568-160	103.00	5.70	4.055	0.224
33	AS568-163	103.00	6.00	4.055	0.236
34	AS568-114	104.00	1.00	4.094	0.039
35	AS568-121	104.00	1.78	4.094	0.070
36	AS568-124	104.00	2.00	4.094	0.079
37	AS568-130	104.00	2.62	4.094	0.103
38	AS568-134	104.00	3.00	4.094	0.118
39	AS568-139	104.00	3.53	4.094	0.139
40	AS568-144	104.00	4.00	4.094	0.157
41	AS568-154	104.00	5.00	4.094	0.197
42	AS568-157	104.00	5.30	4.094	0.209
43	AS568-161	104.00	5.70	4.094	0.224
44	AS568-164	104.00	6.00	4.094	0.236
45	AS568-115	105.00	1.00	4.134	0.039
46	AS568-122	105.00	1.78	4.134	0.070
47	AS568-125	105.00	2.00	4.134	0.079
48	AS568-131	105.00	2.62	4.134	0.103
49	AS568-135	105.00	3.00	4.134	0.118
50	AS568-140	105.00	3.53	4.134	0.139
51	AS568-145	105.00	4.00	4.134	0.157
52	AS568-155	105.00	5.00	4.134	0.197
53	AS568-158	105.00	5.30	4.134	0.209
54	AS568-162	105.00	5.70	4.134	0.224
55	AS568-165	105.00	6.00	4.134	0.236
56	AS568-116	106.00	1.00	4.173	0.039

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
57	AS568-123	106.00	1.78	4.173	0.070
58	AS568-126	106.00	2.00	4.173	0.079
59	AS568-132	106.00	2.62	4.173	0.103
60	AS568-136	106.00	3.00	4.173	0.118
61	AS568-141	106.00	3.53	4.173	0.139
62	AS568-146	106.00	4.00	4.173	0.157
63	AS568-156	106.00	5.00	4.173	0.197
64	AS568-159	106.00	5.30	4.173	0.209
65	AS568-163	106.00	5.70	4.173	0.224
66	AS568-166	106.00	6.00	4.173	0.236
67	AS568-117	107.00	1.00	4.213	0.039
68	AS568-124	107.00	1.78	4.213	0.070
69	AS568-127	107.00	2.00	4.213	0.079
70	AS568-133	107.00	2.62	4.213	0.103
71	AS568-137	107.00	3.00	4.213	0.118
72	AS568-142	107.00	3.53	4.213	0.139
73	AS568-147	107.00	4.00	4.213	0.157
74	AS568-157	107.00	5.00	4.213	0.197
75	AS568-160	107.00	5.30	4.213	0.209
76	AS568-164	107.00	5.70	4.213	0.224
77	AS568-167	107.00	6.00	4.213	0.236
78	AS568-118	108.00	1.00	4.252	0.039
79	AS568-125	108.00	1.78	4.252	0.070
80	AS568-128	108.00	2.00	4.252	0.079
81	AS568-134	108.00	2.62	4.252	0.103
82	AS568-138	108.00	3.00	4.252	0.118
83	AS568-143	108.00	3.53	4.252	0.139
84	AS568-148	108.00	4.00	4.252	0.157
85	AS568-158	108.00	5.00	4.252	0.197

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
86	AS568-161	108.00	5.30	4.252	0.209
87	AS568-165	108.00	5.70	4.252	0.224
88	AS568-168	108.00	6.00	4.252	0.236
89	AS568-119	109.00	1.00	4.291	0.039
90	AS568-126	109.00	1.78	4.291	0.070
91	AS568-129	109.00	2.00	4.291	0.079
92	AS568-135	109.00	2.62	4.291	0.103
93	AS568-139	109.00	3.00	4.291	0.118
94	AS568-144	109.00	3.53	4.291	0.139
95	AS568-149	109.00	4.00	4.291	0.157
96	AS568-159	109.00	5.00	4.291	0.197
97	AS568-162	109.00	5.30	4.291	0.209
98	AS568-166	109.00	5.70	4.291	0.224
99	AS568-169	109.00	6.00	4.291	0.236
100	AS568-120	110.00	1.00	4.331	0.039
101	AS568-127	110.00	1.78	4.331	0.070
102	AS568-130	110.00	2.00	4.331	0.079
103	AS568-136	110.00	2.62	4.331	0.103
104	AS568-140	110.00	3.00	4.331	0.118
105	AS568-145	110.00	3.53	4.331	0.139
106	AS568-150	110.00	4.00	4.331	0.157
107	AS568-160	110.00	5.00	4.331	0.197
108	AS568-163	110.00	5.30	4.331	0.209
109	AS568-167	110.00	5.70	4.331	0.224
110	AS568-170	110.00	6.00	4.331	0.236
111	AS568-121	111.00	1.00	4.370	0.039
112	AS568-128	111.00	1.78	4.370	0.070
113	AS568-131	111.00	2.00	4.370	0.079
114	AS568-137	111.00	2.62	4.370	0.103

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
115	AS568-141	111.00	3.00	4.370	0.118
116	AS568-146	111.00	3.53	4.370	0.139
117	AS568-151	111.00	4.00	4.370	0.157
118	AS568-161	111.00	5.00	4.370	0.197
119	AS568-164	111.00	5.30	4.370	0.209
120	AS568-168	111.00	5.70	4.370	0.224
121	AS568-171	111.00	6.00	4.370	0.236
122	AS568-122	112.00	1.00	4.409	0.039
123	AS568-129	112.00	1.78	4.409	0.070
124	AS568-132	112.00	2.00	4.409	0.079
125	AS568-138	112.00	2.62	4.409	0.103
126	AS568-142	112.00	3.00	4.409	0.118
127	AS568-147	112.00	3.53	4.409	0.139
128	AS568-152	112.00	4.00	4.409	0.157
129	AS568-162	112.00	5.00	4.409	0.197
130	AS568-165	112.00	5.30	4.409	0.209
131	AS568-169	112.00	5.70	4.409	0.224
132	AS568-172	112.00	6.00	4.409	0.236
133	AS568-123	113.00	1.00	4.449	0.039
134	AS568-130	113.00	1.78	4.449	0.070
135	AS568-133	113.00	2.00	4.449	0.079
136	AS568-139	113.00	2.62	4.449	0.103
137	AS568-143	113.00	3.00	4.449	0.118
138	AS568-148	113.00	3.53	4.449	0.139
139	AS568-153	113.00	4.00	4.449	0.157
140	AS568-163	113.00	5.00	4.449	0.197
141	AS568-166	113.00	5.30	4.449	0.209
142	AS568-170	113.00	5.70	4.449	0.224
143	AS568-173	113.00	6.00	4.449	0.236

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
144	AS568-124	114.00	1.00	4.488	0.039
145	AS568-131	114.00	1.78	4.488	0.070
146	AS568-134	114.00	2.00	4.488	0.079
147	AS568-140	114.00	2.62	4.488	0.103
148	AS568-144	114.00	3.00	4.488	0.118
149	AS568-149	114.00	3.53	4.488	0.139
150	AS568-154	114.00	4.00	4.488	0.157
151	AS568-164	114.00	5.00	4.488	0.197
152	AS568-167	114.00	5.30	4.488	0.209
153	AS568-171	114.00	5.70	4.488	0.224
154	AS568-174	114.00	6.00	4.488	0.236
155	AS568-125	115.00	1.00	4.528	0.039
156	AS568-132	115.00	1.78	4.528	0.070
157	AS568-135	115.00	2.00	4.528	0.079
158	AS568-141	115.00	2.62	4.528	0.103
159	AS568-145	115.00	3.00	4.528	0.118
160	AS568-150	115.00	3.53	4.528	0.139
161	AS568-155	115.00	4.00	4.528	0.157
162	AS568-165	115.00	5.00	4.528	0.197
163	AS568-168	115.00	5.30	4.528	0.209
164	AS568-172	115.00	5.70	4.528	0.224
165	AS568-175	115.00	6.00	4.528	0.236
166	AS568-126	116.00	1.00	4.567	0.039
167	AS568-133	116.00	1.78	4.567	0.070
168	AS568-136	116.00	2.00	4.567	0.079
169	AS568-142	116.00	2.62	4.567	0.103
170	AS568-146	116.00	3.00	4.567	0.118
171	AS568-151	116.00	3.53	4.567	0.139
172	AS568-156	116.00	4.00	4.567	0.157

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
173	AS568-166	116.00	5.00	4.567	0.197
174	AS568-169	116.00	5.30	4.567	0.209
175	AS568-173	116.00	5.70	4.567	0.224
176	AS568-176	116.00	6.00	4.567	0.236
177	AS568-127	117.00	1.00	4.606	0.039
178	AS568-134	117.00	1.78	4.606	0.070
179	AS568-137	117.00	2.00	4.606	0.079
180	AS568-143	117.00	2.62	4.606	0.103
181	AS568-147	117.00	3.00	4.606	0.118
182	AS568-152	117.00	3.53	4.606	0.139
183	AS568-157	117.00	4.00	4.606	0.157
184	AS568-167	117.00	5.00	4.606	0.197
185	AS568-170	117.00	5.30	4.606	0.209
186	AS568-174	117.00	5.70	4.606	0.224
187	AS568-177	117.00	6.00	4.606	0.236
188	AS568-128	118.00	1.00	4.646	0.039
189	AS568-135	118.00	1.78	4.646	0.070
190	AS568-138	118.00	2.00	4.646	0.079
191	AS568-144	118.00	2.62	4.646	0.103
192	AS568-148	118.00	3.00	4.646	0.118
193	AS568-153	118.00	3.53	4.646	0.139
194	AS568-158	118.00	4.00	4.646	0.157
195	AS568-168	118.00	5.00	4.646	0.197
196	AS568-171	118.00	5.30	4.646	0.209
197	AS568-175	118.00	5.70	4.646	0.224
198	AS568-178	118.00	6.00	4.646	0.236
199	AS568-129	119.00	1.00	4.685	0.039
200	AS568-136	119.00	1.78	4.685	0.070
201	AS568-139	119.00	2.00	4.685	0.079

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
202	AS568-145	119.00	2.62	4.685	0.103
203	AS568-149	119.00	3.00	4.685	0.118
204	AS568-154	119.00	3.53	4.685	0.139
205	AS568-159	119.00	4.00	4.685	0.157
206	AS568-169	119.00	5.00	4.685	0.197
207	AS568-172	119.00	5.30	4.685	0.209
208	AS568-176	119.00	5.70	4.685	0.224
209	AS568-179	119.00	6.00	4.685	0.236
210	AS568-130	120.00	1.00	4.724	0.039
211	AS568-137	120.00	1.78	4.724	0.070
212	AS568-140	120.00	2.00	4.724	0.079
213	AS568-146	120.00	2.62	4.724	0.103
214	AS568-150	120.00	3.00	4.724	0.118
215	AS568-155	120.00	3.53	4.724	0.139
216	AS568-160	120.00	4.00	4.724	0.157
217	AS568-170	120.00	5.00	4.724	0.197
218	AS568-173	120.00	5.30	4.724	0.209
219	AS568-177	120.00	5.70	4.724	0.224
220	AS568-180	120.00	6.00	4.724	0.236
221	AS568-131	121.00	1.00	4.764	0.039
222	AS568-138	121.00	1.78	4.764	0.070
223	AS568-141	121.00	2.00	4.764	0.079
224	AS568-147	121.00	2.62	4.764	0.103
225	AS568-151	121.00	3.00	4.764	0.118
226	AS568-156	121.00	3.53	4.764	0.139
227	AS568-161	121.00	4.00	4.764	0.157
228	AS568-171	121.00	5.00	4.764	0.197
229	AS568-174	121.00	5.30	4.764	0.209
230	AS568-178	121.00	5.70	4.764	0.224

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
231	AS568-181	121.00	6.00	4.764	0.236
232	AS568-132	122.00	1.00	4.803	0.039
233	AS568-139	122.00	1.78	4.803	0.070
234	AS568-142	122.00	2.00	4.803	0.079
235	AS568-148	122.00	2.62	4.803	0.103
236	AS568-152	122.00	3.00	4.803	0.118
237	AS568-157	122.00	3.53	4.803	0.139
238	AS568-162	122.00	4.00	4.803	0.157
239	AS568-172	122.00	5.00	4.803	0.197
240	AS568-175	122.00	5.30	4.803	0.209
241	AS568-179	122.00	5.70	4.803	0.224
242	AS568-182	122.00	6.00	4.803	0.236
243	AS568-133	123.00	1.00	4.843	0.039
244	AS568-140	123.00	1.78	4.843	0.070
245	AS568-143	123.00	2.00	4.843	0.079
246	AS568-149	123.00	2.62	4.843	0.103
247	AS568-153	123.00	3.00	4.843	0.118
248	AS568-158	123.00	3.53	4.843	0.139
249	AS568-163	123.00	4.00	4.843	0.157
250	AS568-173	123.00	5.00	4.843	0.197
251	AS568-176	123.00	5.30	4.843	0.209
252	AS568-180	123.00	5.70	4.843	0.224
253	AS568-183	123.00	6.00	4.843	0.236
254	AS568-134	124.00	1.00	4.882	0.039
255	AS568-141	124.00	1.78	4.882	0.070
256	AS568-144	124.00	2.00	4.882	0.079
257	AS568-150	124.00	2.62	4.882	0.103
258	AS568-154	124.00	3.00	4.882	0.118
259	AS568-159	124.00	3.53	4.882	0.139

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
260	AS568-164	124.00	4.00	4.882	0.157
261	AS568-174	124.00	5.00	4.882	0.197
262	AS568-177	124.00	5.30	4.882	0.209
263	AS568-181	124.00	5.70	4.882	0.224
264	AS568-184	124.00	6.00	4.882	0.236
265	AS568-135	125.00	1.00	4.921	0.039
266	AS568-142	125.00	1.78	4.921	0.070
267	AS568-145	125.00	2.00	4.921	0.079
268	AS568-151	125.00	2.62	4.921	0.103
269	AS568-155	125.00	3.00	4.921	0.118
270	AS568-160	125.00	3.53	4.921	0.139
271	AS568-165	125.00	4.00	4.921	0.157
272	AS568-175	125.00	5.00	4.921	0.197
273	AS568-178	125.00	5.30	4.921	0.209
274	AS568-182	125.00	5.70	4.921	0.224
275	AS568-185	125.00	6.00	4.921	0.236
276	AS568-136	126.00	1.00	4.961	0.039
277	AS568-143	126.00	1.78	4.961	0.070
278	AS568-146	126.00	2.00	4.961	0.079
279	AS568-152	126.00	2.62	4.961	0.103
280	AS568-156	126.00	3.00	4.961	0.118
281	AS568-161	126.00	3.53	4.961	0.139
282	AS568-166	126.00	4.00	4.961	0.157
283	AS568-176	126.00	5.00	4.961	0.197
284	AS568-179	126.00	5.30	4.961	0.209
285	AS568-183	126.00	5.70	4.961	0.224
286	AS568-186	126.00	6.00	4.961	0.236
287	AS568-137	127.00	1.00	5.000	0.039
288	AS568-144	127.00	1.78	5.000	0.070

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
289	AS568-147	127.00	2.00	5.000	0.079
290	AS568-153	127.00	2.62	5.000	0.103
291	AS568-157	127.00	3.00	5.000	0.118
292	AS568-162	127.00	3.53	5.000	0.139
293	AS568-167	127.00	4.00	5.000	0.157
294	AS568-177	127.00	5.00	5.000	0.197
295	AS568-180	127.00	5.30	5.000	0.209
296	AS568-184	127.00	5.70	5.000	0.224
297	AS568-187	127.00	6.00	5.000	0.236
298	AS568-138	128.00	1.00	5.039	0.039
299	AS568-145	128.00	1.78	5.039	0.070
300	AS568-148	128.00	2.00	5.039	0.079
301	AS568-154	128.00	2.62	5.039	0.103
302	AS568-158	128.00	3.00	5.039	0.118
303	AS568-163	128.00	3.53	5.039	0.139
304	AS568-168	128.00	4.00	5.039	0.157
305	AS568-178	128.00	5.00	5.039	0.197
306	AS568-181	128.00	5.30	5.039	0.209
307	AS568-185	128.00	5.70	5.039	0.224
308	AS568-188	128.00	6.00	5.039	0.236
309	AS568-139	129.00	1.00	5.079	0.039
310	AS568-146	129.00	1.78	5.079	0.070
311	AS568-149	129.00	2.00	5.079	0.079
312	AS568-155	129.00	2.62	5.079	0.103
313	AS568-159	129.00	3.00	5.079	0.118
314	AS568-164	129.00	3.53	5.079	0.139
315	AS568-169	129.00	4.00	5.079	0.157
316	AS568-179	129.00	5.00	5.079	0.197
317	AS568-182	129.00	5.30	5.079	0.209

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
318	AS568-186	129.00	5.70	5.079	0.224
319	AS568-189	129.00	6.00	5.079	0.236
320	AS568-140	130.00	1.00	5.118	0.039
321	AS568-147	130.00	1.78	5.118	0.070
322	AS568-150	130.00	2.00	5.118	0.079
323	AS568-156	130.00	2.62	5.118	0.103
324	AS568-160	130.00	3.00	5.118	0.118
325	AS568-165	130.00	3.53	5.118	0.139
326	AS568-170	130.00	4.00	5.118	0.157
327	AS568-180	130.00	5.00	5.118	0.197
328	AS568-183	130.00	5.30	5.118	0.209
329	AS568-187	130.00	5.70	5.118	0.224
330	AS568-190	130.00	6.00	5.118	0.236
331	AS568-141	131.00	1.00	5.157	0.039
332	AS568-148	131.00	1.78	5.157	0.070
333	AS568-151	131.00	2.00	5.157	0.079
334	AS568-157	131.00	2.62	5.157	0.103
335	AS568-161	131.00	3.00	5.157	0.118
336	AS568-166	131.00	3.53	5.157	0.139
337	AS568-171	131.00	4.00	5.157	0.157
338	AS568-181	131.00	5.00	5.157	0.197
339	AS568-184	131.00	5.30	5.157	0.209
340	AS568-188	131.00	5.70	5.157	0.224
341	AS568-191	131.00	6.00	5.157	0.236
342	AS568-142	132.00	1.00	5.197	0.039
343	AS568-149	132.00	1.78	5.197	0.070
344	AS568-152	132.00	2.00	5.197	0.079
345	AS568-158	132.00	2.62	5.197	0.103
346	AS568-162	132.00	3.00	5.197	0.118

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
347	AS568-167	132.00	3.53	5.197	0.139
348	AS568-172	132.00	4.00	5.197	0.157
349	AS568-182	132.00	5.00	5.197	0.197
350	AS568-185	132.00	5.30	5.197	0.209
351	AS568-189	132.00	5.70	5.197	0.224
352	AS568-192	132.00	6.00	5.197	0.236
353	AS568-143	133.00	1.00	5.236	0.039
354	AS568-150	133.00	1.78	5.236	0.070
355	AS568-153	133.00	2.00	5.236	0.079
356	AS568-159	133.00	2.62	5.236	0.103
357	AS568-163	133.00	3.00	5.236	0.118
358	AS568-168	133.00	3.53	5.236	0.139
359	AS568-173	133.00	4.00	5.236	0.157
360	AS568-183	133.00	5.00	5.236	0.197
361	AS568-186	133.00	5.30	5.236	0.209
362	AS568-190	133.00	5.70	5.236	0.224
363	AS568-193	133.00	6.00	5.236	0.236
364	AS568-144	134.00	1.00	5.276	0.039
365	AS568-151	134.00	1.78	5.276	0.070
366	AS568-154	134.00	2.00	5.276	0.079
367	AS568-160	134.00	2.62	5.276	0.103
368	AS568-164	134.00	3.00	5.276	0.118
369	AS568-169	134.00	3.53	5.276	0.139
370	AS568-174	134.00	4.00	5.276	0.157
371	AS568-184	134.00	5.00	5.276	0.197
372	AS568-187	134.00	5.30	5.276	0.209
373	AS568-191	134.00	5.70	5.276	0.224
374	AS568-194	134.00	6.00	5.276	0.236
375	AS568-145	135.00	1.00	5.315	0.039

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
376	AS568-152	135.00	1.78	5.315	0.070
377	AS568-155	135.00	2.00	5.315	0.079
378	AS568-161	135.00	2.62	5.315	0.103
379	AS568-165	135.00	3.00	5.315	0.118
380	AS568-170	135.00	3.53	5.315	0.139
381	AS568-175	135.00	4.00	5.315	0.157
382	AS568-185	135.00	5.00	5.315	0.197
383	AS568-188	135.00	5.30	5.315	0.209
384	AS568-192	135.00	5.70	5.315	0.224
385	AS568-195	135.00	6.00	5.315	0.236
386	AS568-146	136.00	1.00	5.354	0.039
387	AS568-153	136.00	1.78	5.354	0.070
388	AS568-156	136.00	2.00	5.354	0.079
389	AS568-162	136.00	2.62	5.354	0.103
390	AS568-166	136.00	3.00	5.354	0.118
391	AS568-171	136.00	3.53	5.354	0.139
392	AS568-176	136.00	4.00	5.354	0.157
393	AS568-186	136.00	5.00	5.354	0.197
394	AS568-189	136.00	5.30	5.354	0.209
395	AS568-193	136.00	5.70	5.354	0.224
396	AS568-196	136.00	6.00	5.354	0.236
397	AS568-147	137.00	1.00	5.394	0.039
398	AS568-154	137.00	1.78	5.394	0.070
399	AS568-157	137.00	2.00	5.394	0.079
400	AS568-163	137.00	2.62	5.394	0.103
401	AS568-167	137.00	3.00	5.394	0.118
402	AS568-172	137.00	3.53	5.394	0.139
403	AS568-177	137.00	4.00	5.394	0.157
404	AS568-187	137.00	5.00	5.394	0.197

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
405	AS568-190	137.00	5.30	5.394	0.209
406	AS568-194	137.00	5.70	5.394	0.224
407	AS568-197	137.00	6.00	5.394	0.236
408	AS568-148	138.00	1.00	5.433	0.039
409	AS568-155	138.00	1.78	5.433	0.070
410	AS568-158	138.00	2.00	5.433	0.079
411	AS568-164	138.00	2.62	5.433	0.103
412	AS568-168	138.00	3.00	5.433	0.118
413	AS568-173	138.00	3.53	5.433	0.139
414	AS568-178	138.00	4.00	5.433	0.157
415	AS568-188	138.00	5.00	5.433	0.197
416	AS568-191	138.00	5.30	5.433	0.209
417	AS568-195	138.00	5.70	5.433	0.224
418	AS568-198	138.00	6.00	5.433	0.236
419	AS568-149	139.00	1.00	5.472	0.039
420	AS568-156	139.00	1.78	5.472	0.070
421	AS568-159	139.00	2.00	5.472	0.079
422	AS568-165	139.00	2.62	5.472	0.103
423	AS568-169	139.00	3.00	5.472	0.118
424	AS568-174	139.00	3.53	5.472	0.139
425	AS568-179	139.00	4.00	5.472	0.157
426	AS568-189	139.00	5.00	5.472	0.197
427	AS568-192	139.00	5.30	5.472	0.209
428	AS568-196	139.00	5.70	5.472	0.224
429	AS568-199	139.00	6.00	5.472	0.236
430	AS568-150	140.00	1.00	5.512	0.039
431	AS568-157	140.00	1.78	5.512	0.070
432	AS568-160	140.00	2.00	5.512	0.079
433	AS568-166	140.00	2.62	5.512	0.103

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
434	AS568-170	140.00	3.00	5.512	0.118
435	AS568-175	140.00	3.53	5.512	0.139
436	AS568-180	140.00	4.00	5.512	0.157
437	AS568-190	140.00	5.00	5.512	0.197
438	AS568-193	140.00	5.30	5.512	0.209
439	AS568-197	140.00	5.70	5.512	0.224
440	AS568-200	140.00	6.00	5.512	0.236
441	AS568-151	141.00	1.00	5.551	0.039
442	AS568-158	141.00	1.78	5.551	0.070
443	AS568-161	141.00	2.00	5.551	0.079
444	AS568-167	141.00	2.62	5.551	0.103
445	AS568-171	141.00	3.00	5.551	0.118
446	AS568-176	141.00	3.53	5.551	0.139
447	AS568-181	141.00	4.00	5.551	0.157
448	AS568-191	141.00	5.00	5.551	0.197
449	AS568-194	141.00	5.30	5.551	0.209
450	AS568-198	141.00	5.70	5.551	0.224
451	AS568-201	141.00	6.00	5.551	0.236
452	AS568-152	142.00	1.00	5.591	0.039
453	AS568-159	142.00	1.78	5.591	0.070
454	AS568-162	142.00	2.00	5.591	0.079
455	AS568-168	142.00	2.62	5.591	0.103
456	AS568-172	142.00	3.00	5.591	0.118
457	AS568-177	142.00	3.53	5.591	0.139
458	AS568-182	142.00	4.00	5.591	0.157
459	AS568-192	142.00	5.00	5.591	0.197
460	AS568-195	142.00	5.30	5.591	0.209
461	AS568-199	142.00	5.70	5.591	0.224
462	AS568-202	142.00	6.00	5.591	0.236

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
463	AS568-153	143.00	1.00	5.630	0.039
464	AS568-160	143.00	1.78	5.630	0.070
465	AS568-163	143.00	2.00	5.630	0.079
466	AS568-169	143.00	2.62	5.630	0.103
467	AS568-173	143.00	3.00	5.630	0.118
468	AS568-178	143.00	3.53	5.630	0.139
469	AS568-183	143.00	4.00	5.630	0.157
470	AS568-193	143.00	5.00	5.630	0.197
471	AS568-196	143.00	5.30	5.630	0.209
472	AS568-200	143.00	5.70	5.630	0.224
473	AS568-203	143.00	6.00	5.630	0.236
474	AS568-154	144.00	1.00	5.669	0.039
475	AS568-161	144.00	1.78	5.669	0.070
476	AS568-164	144.00	2.00	5.669	0.079
477	AS568-170	144.00	2.62	5.669	0.103
478	AS568-174	144.00	3.00	5.669	0.118
479	AS568-179	144.00	3.53	5.669	0.139
480	AS568-184	144.00	4.00	5.669	0.157
481	AS568-194	144.00	5.00	5.669	0.197
482	AS568-197	144.00	5.30	5.669	0.209
483	AS568-201	144.00	5.70	5.669	0.224
484	AS568-204	144.00	6.00	5.669	0.236
485	AS568-155	145.00	1.00	5.709	0.039
486	AS568-162	145.00	1.78	5.709	0.070
487	AS568-165	145.00	2.00	5.709	0.079
488	AS568-171	145.00	2.62	5.709	0.103
489	AS568-175	145.00	3.00	5.709	0.118
490	AS568-180	145.00	3.53	5.709	0.139
491	AS568-185	145.00	4.00	5.709	0.157

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
492	AS568-195	145.00	5.00	5.709	0.197
493	AS568-198	145.00	5.30	5.709	0.209
494	AS568-202	145.00	5.70	5.709	0.224
495	AS568-205	145.00	6.00	5.709	0.236
496	AS568-156	146.00	1.00	5.748	0.039
497	AS568-163	146.00	1.78	5.748	0.070
498	AS568-166	146.00	2.00	5.748	0.079
499	AS568-172	146.00	2.62	5.748	0.103
500	AS568-176	146.00	3.00	5.748	0.118
501	AS568-181	146.00	3.53	5.748	0.139
502	AS568-186	146.00	4.00	5.748	0.157
503	AS568-196	146.00	5.00	5.748	0.197
504	AS568-199	146.00	5.30	5.748	0.209
505	AS568-203	146.00	5.70	5.748	0.224
506	AS568-206	146.00	6.00	5.748	0.236
507	AS568-157	147.00	1.00	5.787	0.039
508	AS568-164	147.00	1.78	5.787	0.070
509	AS568-167	147.00	2.00	5.787	0.079
510	AS568-173	147.00	2.62	5.787	0.103
511	AS568-177	147.00	3.00	5.787	0.118
512	AS568-182	147.00	3.53	5.787	0.139
513	AS568-187	147.00	4.00	5.787	0.157
514	AS568-197	147.00	5.00	5.787	0.197
515	AS568-200	147.00	5.30	5.787	0.209
516	AS568-204	147.00	5.70	5.787	0.224
517	AS568-207	147.00	6.00	5.787	0.236
518	AS568-158	148.00	1.00	5.827	0.039
519	AS568-165	148.00	1.78	5.827	0.070
520	AS568-168	148.00	2.00	5.827	0.079

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
521	AS568-174	148.00	2.62	5.827	0.103
522	AS568-178	148.00	3.00	5.827	0.118
523	AS568-183	148.00	3.53	5.827	0.139
524	AS568-188	148.00	4.00	5.827	0.157
525	AS568-198	148.00	5.00	5.827	0.197
526	AS568-201	148.00	5.30	5.827	0.209
527	AS568-205	148.00	5.70	5.827	0.224
528	AS568-208	148.00	6.00	5.827	0.236
529	AS568-159	149.00	1.00	5.866	0.039
530	AS568-166	149.00	1.78	5.866	0.070
531	AS568-169	149.00	2.00	5.866	0.079
532	AS568-175	149.00	2.62	5.866	0.103
533	AS568-179	149.00	3.00	5.866	0.118
534	AS568-184	149.00	3.53	5.866	0.139
535	AS568-189	149.00	4.00	5.866	0.157
536	AS568-199	149.00	5.00	5.866	0.197
537	AS568-202	149.00	5.30	5.866	0.209
538	AS568-206	149.00	5.70	5.866	0.224
539	AS568-209	149.00	6.00	5.866	0.236
540	AS568-160	150.00	1.00	5.906	0.039
541	AS568-167	150.00	1.78	5.906	0.070
542	AS568-170	150.00	2.00	5.906	0.079
543	AS568-176	150.00	2.62	5.906	0.103
544	AS568-180	150.00	3.00	5.906	0.118
545	AS568-185	150.00	3.53	5.906	0.139
546	AS568-190	150.00	4.00	5.906	0.157
547	AS568-200	150.00	5.00	5.906	0.197
548	AS568-203	150.00	5.30	5.906	0.209
549	AS568-207	150.00	5.70	5.906	0.224

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
550	AS568-210	150.00	6.00	5.906	0.236
551	AS568-161	151.00	1.00	5.945	0.039
552	AS568-168	151.00	1.78	5.945	0.070
553	AS568-171	151.00	2.00	5.945	0.079
554	AS568-177	151.00	2.62	5.945	0.103
555	AS568-181	151.00	3.00	5.945	0.118
556	AS568-186	151.00	3.53	5.945	0.139
557	AS568-191	151.00	4.00	5.945	0.157
558	AS568-201	151.00	5.00	5.945	0.197
559	AS568-204	151.00	5.30	5.945	0.209
560	AS568-208	151.00	5.70	5.945	0.224
561	AS568-211	151.00	6.00	5.945	0.236
562	AS568-162	152.00	1.00	5.984	0.039
563	AS568-169	152.00	1.78	5.984	0.070
564	AS568-172	152.00	2.00	5.984	0.079
565	AS568-178	152.00	2.62	5.984	0.103
566	AS568-182	152.00	3.00	5.984	0.118
567	AS568-187	152.00	3.53	5.984	0.139
568	AS568-192	152.00	4.00	5.984	0.157
569	AS568-202	152.00	5.00	5.984	0.197
570	AS568-205	152.00	5.30	5.984	0.209
571	AS568-209	152.00	5.70	5.984	0.224
572	AS568-212	152.00	6.00	5.984	0.236
573	AS568-163	153.00	1.00	6.024	0.039
574	AS568-170	153.00	1.78	6.024	0.070
575	AS568-173	153.00	2.00	6.024	0.079
576	AS568-179	153.00	2.62	6.024	0.103
577	AS568-183	153.00	3.00	6.024	0.118
578	AS568-188	153.00	3.53	6.024	0.139

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
579	AS568-193	153.00	4.00	6.024	0.157
580	AS568-203	153.00	5.00	6.024	0.197
581	AS568-206	153.00	5.30	6.024	0.209
582	AS568-210	153.00	5.70	6.024	0.224
583	AS568-213	153.00	6.00	6.024	0.236
584	AS568-164	154.00	1.00	6.063	0.039
585	AS568-171	154.00	1.78	6.063	0.070
586	AS568-174	154.00	2.00	6.063	0.079
587	AS568-180	154.00	2.62	6.063	0.103
588	AS568-184	154.00	3.00	6.063	0.118
589	AS568-189	154.00	3.53	6.063	0.139
590	AS568-194	154.00	4.00	6.063	0.157
591	AS568-204	154.00	5.00	6.063	0.197
592	AS568-207	154.00	5.30	6.063	0.209
593	AS568-211	154.00	5.70	6.063	0.224
594	AS568-214	154.00	6.00	6.063	0.236
595	AS568-165	155.00	1.00	6.102	0.039
596	AS568-172	155.00	1.78	6.102	0.070
597	AS568-175	155.00	2.00	6.102	0.079
598	AS568-181	155.00	2.62	6.102	0.103
599	AS568-185	155.00	3.00	6.102	0.118
600	AS568-190	155.00	3.53	6.102	0.139
601	AS568-195	155.00	4.00	6.102	0.157
602	AS568-205	155.00	5.00	6.102	0.197
603	AS568-208	155.00	5.30	6.102	0.209
604	AS568-212	155.00	5.70	6.102	0.224
605	AS568-215	155.00	6.00	6.102	0.236
606	AS568-166	156.00	1.00	6.142	0.039
607	AS568-173	156.00	1.78	6.142	0.070

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
608	AS568-176	156.00	2.00	6.142	0.079
609	AS568-182	156.00	2.62	6.142	0.103
610	AS568-186	156.00	3.00	6.142	0.118
611	AS568-191	156.00	3.53	6.142	0.139
612	AS568-196	156.00	4.00	6.142	0.157
613	AS568-206	156.00	5.00	6.142	0.197
614	AS568-209	156.00	5.30	6.142	0.209
615	AS568-213	156.00	5.70	6.142	0.224
616	AS568-216	156.00	6.00	6.142	0.236
617	AS568-167	157.00	1.00	6.181	0.039
618	AS568-174	157.00	1.78	6.181	0.070
619	AS568-177	157.00	2.00	6.181	0.079
620	AS568-183	157.00	2.62	6.181	0.103
621	AS568-187	157.00	3.00	6.181	0.118
622	AS568-192	157.00	3.53	6.181	0.139
623	AS568-197	157.00	4.00	6.181	0.157
624	AS568-207	157.00	5.00	6.181	0.197
625	AS568-210	157.00	5.30	6.181	0.209
626	AS568-214	157.00	5.70	6.181	0.224
627	AS568-217	157.00	6.00	6.181	0.236
628	AS568-168	158.00	1.00	6.220	0.039
629	AS568-175	158.00	1.78	6.220	0.070
630	AS568-178	158.00	2.00	6.220	0.079
631	AS568-184	158.00	2.62	6.220	0.103
632	AS568-188	158.00	3.00	6.220	0.118
633	AS568-193	158.00	3.53	6.220	0.139
634	AS568-198	158.00	4.00	6.220	0.157
635	AS568-208	158.00	5.00	6.220	0.197
636	AS568-211	158.00	5.30	6.220	0.209

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
637	AS568-215	158.00	5.70	6.220	0.224
638	AS568-218	158.00	6.00	6.220	0.236
639	AS568-169	159.00	1.00	6.260	0.039
640	AS568-176	159.00	1.78	6.260	0.070
641	AS568-179	159.00	2.00	6.260	0.079
642	AS568-185	159.00	2.62	6.260	0.103
643	AS568-189	159.00	3.00	6.260	0.118
644	AS568-194	159.00	3.53	6.260	0.139
645	AS568-199	159.00	4.00	6.260	0.157
646	AS568-209	159.00	5.00	6.260	0.197
647	AS568-212	159.00	5.30	6.260	0.209
648	AS568-216	159.00	5.70	6.260	0.224
649	AS568-219	159.00	6.00	6.260	0.236
650	AS568-170	160.00	1.00	6.299	0.039
651	AS568-177	160.00	1.78	6.299	0.070
652	AS568-180	160.00	2.00	6.299	0.079
653	AS568-186	160.00	2.62	6.299	0.103
654	AS568-190	160.00	3.00	6.299	0.118
655	AS568-195	160.00	3.53	6.299	0.139
656	AS568-200	160.00	4.00	6.299	0.157
657	AS568-210	160.00	5.00	6.299	0.197
658	AS568-213	160.00	5.30	6.299	0.209
659	AS568-217	160.00	5.70	6.299	0.224
660	AS568-220	160.00	6.00	6.299	0.236
661	AS568-171	161.00	1.00	6.339	0.039
662	AS568-178	161.00	1.78	6.339	0.070
663	AS568-181	161.00	2.00	6.339	0.079
664	AS568-187	161.00	2.62	6.339	0.103
665	AS568-191	161.00	3.00	6.339	0.118

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
666	AS568-196	161.00	3.53	6.339	0.139
667	AS568-201	161.00	4.00	6.339	0.157
668	AS568-211	161.00	5.00	6.339	0.197
669	AS568-214	161.00	5.30	6.339	0.209
670	AS568-218	161.00	5.70	6.339	0.224
671	AS568-221	161.00	6.00	6.339	0.236
672	AS568-172	162.00	1.00	6.378	0.039
673	AS568-179	162.00	1.78	6.378	0.070
674	AS568-182	162.00	2.00	6.378	0.079
675	AS568-188	162.00	2.62	6.378	0.103
676	AS568-192	162.00	3.00	6.378	0.118
677	AS568-197	162.00	3.53	6.378	0.139
678	AS568-202	162.00	4.00	6.378	0.157
679	AS568-212	162.00	5.00	6.378	0.197
680	AS568-215	162.00	5.30	6.378	0.209
681	AS568-219	162.00	5.70	6.378	0.224
682	AS568-222	162.00	6.00	6.378	0.236
683	AS568-173	163.00	1.00	6.417	0.039
684	AS568-180	163.00	1.78	6.417	0.070
685	AS568-183	163.00	2.00	6.417	0.079
686	AS568-189	163.00	2.62	6.417	0.103
687	AS568-193	163.00	3.00	6.417	0.118
688	AS568-198	163.00	3.53	6.417	0.139
689	AS568-203	163.00	4.00	6.417	0.157
690	AS568-213	163.00	5.00	6.417	0.197
691	AS568-216	163.00	5.30	6.417	0.209
692	AS568-220	163.00	5.70	6.417	0.224
693	AS568-223	163.00	6.00	6.417	0.236
694	AS568-174	164.00	1.00	6.457	0.039

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
695	AS568-181	164.00	1.78	6.457	0.070
696	AS568-184	164.00	2.00	6.457	0.079
697	AS568-190	164.00	2.62	6.457	0.103
698	AS568-194	164.00	3.00	6.457	0.118
699	AS568-199	164.00	3.53	6.457	0.139
700	AS568-204	164.00	4.00	6.457	0.157
701	AS568-214	164.00	5.00	6.457	0.197
702	AS568-217	164.00	5.30	6.457	0.209
703	AS568-221	164.00	5.70	6.457	0.224
704	AS568-224	164.00	6.00	6.457	0.236
705	AS568-175	165.00	1.00	6.496	0.039
706	AS568-182	165.00	1.78	6.496	0.070
707	AS568-185	165.00	2.00	6.496	0.079
708	AS568-191	165.00	2.62	6.496	0.103
709	AS568-195	165.00	3.00	6.496	0.118
710	AS568-200	165.00	3.53	6.496	0.139
711	AS568-205	165.00	4.00	6.496	0.157
712	AS568-215	165.00	5.00	6.496	0.197
713	AS568-218	165.00	5.30	6.496	0.209
714	AS568-222	165.00	5.70	6.496	0.224
715	AS568-225	165.00	6.00	6.496	0.236
716	AS568-176	166.00	1.00	6.535	0.039
717	AS568-183	166.00	1.78	6.535	0.070
718	AS568-186	166.00	2.00	6.535	0.079
719	AS568-192	166.00	2.62	6.535	0.103
720	AS568-196	166.00	3.00	6.535	0.118
721	AS568-201	166.00	3.53	6.535	0.139
722	AS568-206	166.00	4.00	6.535	0.157
723	AS568-216	166.00	5.00	6.535	0.197

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
724	AS568-219	166.00	5.30	6.535	0.209
725	AS568-223	166.00	5.70	6.535	0.224
726	AS568-226	166.00	6.00	6.535	0.236
727	AS568-177	167.00	1.00	6.575	0.039
728	AS568-184	167.00	1.78	6.575	0.070
729	AS568-187	167.00	2.00	6.575	0.079
730	AS568-193	167.00	2.62	6.575	0.103
731	AS568-197	167.00	3.00	6.575	0.118
732	AS568-202	167.00	3.53	6.575	0.139
733	AS568-207	167.00	4.00	6.575	0.157
734	AS568-217	167.00	5.00	6.575	0.197
735	AS568-220	167.00	5.30	6.575	0.209
736	AS568-224	167.00	5.70	6.575	0.224
737	AS568-227	167.00	6.00	6.575	0.236
738	AS568-178	168.00	1.00	6.614	0.039
739	AS568-185	168.00	1.78	6.614	0.070
740	AS568-188	168.00	2.00	6.614	0.079
741	AS568-194	168.00	2.62	6.614	0.103
742	AS568-198	168.00	3.00	6.614	0.118
743	AS568-203	168.00	3.53	6.614	0.139
744	AS568-208	168.00	4.00	6.614	0.157
745	AS568-218	168.00	5.00	6.614	0.197
746	AS568-221	168.00	5.30	6.614	0.209
747	AS568-225	168.00	5.70	6.614	0.224
748	AS568-228	168.00	6.00	6.614	0.236
749	AS568-179	169.00	1.00	6.654	0.039
750	AS568-186	169.00	1.78	6.654	0.070
751	AS568-189	169.00	2.00	6.654	0.079
752	AS568-195	169.00	2.62	6.654	0.103

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
753	AS568-199	169.00	3.00	6.654	0.118
754	AS568-204	169.00	3.53	6.654	0.139
755	AS568-209	169.00	4.00	6.654	0.157
756	AS568-219	169.00	5.00	6.654	0.197
757	AS568-222	169.00	5.30	6.654	0.209
758	AS568-226	169.00	5.70	6.654	0.224
759	AS568-229	169.00	6.00	6.654	0.236
760	AS568-180	170.00	1.00	6.693	0.039
761	AS568-187	170.00	1.78	6.693	0.070
762	AS568-190	170.00	2.00	6.693	0.079
763	AS568-196	170.00	2.62	6.693	0.103
764	AS568-200	170.00	3.00	6.693	0.118
765	AS568-205	170.00	3.53	6.693	0.139
766	AS568-210	170.00	4.00	6.693	0.157
767	AS568-220	170.00	5.00	6.693	0.197
768	AS568-223	170.00	5.30	6.693	0.209
769	AS568-227	170.00	5.70	6.693	0.224
770	AS568-230	170.00	6.00	6.693	0.236
771	AS568-181	171.00	1.00	6.732	0.039
772	AS568-188	171.00	1.78	6.732	0.070
773	AS568-191	171.00	2.00	6.732	0.079
774	AS568-197	171.00	2.62	6.732	0.103
775	AS568-201	171.00	3.00	6.732	0.118
776	AS568-206	171.00	3.53	6.732	0.139
777	AS568-211	171.00	4.00	6.732	0.157
778	AS568-221	171.00	5.00	6.732	0.197
779	AS568-224	171.00	5.30	6.732	0.209
780	AS568-228	171.00	5.70	6.732	0.224
781	AS568-231	171.00	6.00	6.732	0.236

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
782	AS568-182	172.00	1.00	6.772	0.039
783	AS568-189	172.00	1.78	6.772	0.070
784	AS568-192	172.00	2.00	6.772	0.079
785	AS568-198	172.00	2.62	6.772	0.103
786	AS568-202	172.00	3.00	6.772	0.118
787	AS568-207	172.00	3.53	6.772	0.139
788	AS568-212	172.00	4.00	6.772	0.157
789	AS568-222	172.00	5.00	6.772	0.197
790	AS568-225	172.00	5.30	6.772	0.209
791	AS568-229	172.00	5.70	6.772	0.224
792	AS568-232	172.00	6.00	6.772	0.236
793	AS568-183	173.00	1.00	6.811	0.039
794	AS568-190	173.00	1.78	6.811	0.070
795	AS568-193	173.00	2.00	6.811	0.079
796	AS568-199	173.00	2.62	6.811	0.103
797	AS568-203	173.00	3.00	6.811	0.118
798	AS568-208	173.00	3.53	6.811	0.139
799	AS568-213	173.00	4.00	6.811	0.157
800	AS568-223	173.00	5.00	6.811	0.197
801	AS568-226	173.00	5.30	6.811	0.209
802	AS568-230	173.00	5.70	6.811	0.224
803	AS568-233	173.00	6.00	6.811	0.236
804	AS568-184	174.00	1.00	6.850	0.039
805	AS568-191	174.00	1.78	6.850	0.070
806	AS568-194	174.00	2.00	6.850	0.079
807	AS568-200	174.00	2.62	6.850	0.103
808	AS568-204	174.00	3.00	6.850	0.118
809	AS568-209	174.00	3.53	6.850	0.139
810	AS568-214	174.00	4.00	6.850	0.157

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
811	AS568-224	174.00	5.00	6.850	0.197
812	AS568-227	174.00	5.30	6.850	0.209
813	AS568-231	174.00	5.70	6.850	0.224
814	AS568-234	174.00	6.00	6.850	0.236
815	AS568-185	175.00	1.00	6.890	0.039
816	AS568-192	175.00	1.78	6.890	0.070
817	AS568-195	175.00	2.00	6.890	0.079
818	AS568-201	175.00	2.62	6.890	0.103
819	AS568-205	175.00	3.00	6.890	0.118
820	AS568-210	175.00	3.53	6.890	0.139
821	AS568-215	175.00	4.00	6.890	0.157
822	AS568-225	175.00	5.00	6.890	0.197
823	AS568-228	175.00	5.30	6.890	0.209
824	AS568-232	175.00	5.70	6.890	0.224
825	AS568-235	175.00	6.00	6.890	0.236
826	AS568-186	176.00	1.00	6.929	0.039
827	AS568-193	176.00	1.78	6.929	0.070
828	AS568-196	176.00	2.00	6.929	0.079
829	AS568-202	176.00	2.62	6.929	0.103
830	AS568-206	176.00	3.00	6.929	0.118
831	AS568-211	176.00	3.53	6.929	0.139
832	AS568-216	176.00	4.00	6.929	0.157
833	AS568-226	176.00	5.00	6.929	0.197
834	AS568-229	176.00	5.30	6.929	0.209
835	AS568-233	176.00	5.70	6.929	0.224
836	AS568-236	176.00	6.00	6.929	0.236
837	AS568-187	177.00	1.00	6.969	0.039
838	AS568-194	177.00	1.78	6.969	0.070
839	AS568-197	177.00	2.00	6.969	0.079

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
840	AS568-203	177.00	2.62	6.969	0.103
841	AS568-207	177.00	3.00	6.969	0.118
842	AS568-212	177.00	3.53	6.969	0.139
843	AS568-217	177.00	4.00	6.969	0.157
844	AS568-227	177.00	5.00	6.969	0.197
845	AS568-230	177.00	5.30	6.969	0.209
846	AS568-234	177.00	5.70	6.969	0.224
847	AS568-237	177.00	6.00	6.969	0.236
848	AS568-188	178.00	1.00	7.008	0.039
849	AS568-195	178.00	1.78	7.008	0.070
850	AS568-198	178.00	2.00	7.008	0.079
851	AS568-204	178.00	2.62	7.008	0.103
852	AS568-208	178.00	3.00	7.008	0.118
853	AS568-213	178.00	3.53	7.008	0.139
854	AS568-218	178.00	4.00	7.008	0.157
855	AS568-228	178.00	5.00	7.008	0.197
856	AS568-231	178.00	5.30	7.008	0.209
857	AS568-235	178.00	5.70	7.008	0.224
858	AS568-238	178.00	6.00	7.008	0.236
859	AS568-189	179.00	1.00	7.047	0.039
860	AS568-196	179.00	1.78	7.047	0.070
861	AS568-199	179.00	2.00	7.047	0.079
862	AS568-205	179.00	2.62	7.047	0.103
863	AS568-209	179.00	3.00	7.047	0.118
864	AS568-214	179.00	3.53	7.047	0.139
865	AS568-219	179.00	4.00	7.047	0.157
866	AS568-229	179.00	5.00	7.047	0.197
867	AS568-232	179.00	5.30	7.047	0.209
868	AS568-236	179.00	5.70	7.047	0.224

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
869	AS568-239	179.00	6.00	7.047	0.236
870	AS568-190	180.00	1.00	7.087	0.039
871	AS568-197	180.00	1.78	7.087	0.070
872	AS568-200	180.00	2.00	7.087	0.079
873	AS568-206	180.00	2.62	7.087	0.103
874	AS568-210	180.00	3.00	7.087	0.118
875	AS568-215	180.00	3.53	7.087	0.139
876	AS568-220	180.00	4.00	7.087	0.157
877	AS568-230	180.00	5.00	7.087	0.197
878	AS568-233	180.00	5.30	7.087	0.209
879	AS568-237	180.00	5.70	7.087	0.224
880	AS568-240	180.00	6.00	7.087	0.236
881	AS568-191	181.00	1.00	7.126	0.039
882	AS568-198	181.00	1.78	7.126	0.070
883	AS568-201	181.00	2.00	7.126	0.079
884	AS568-207	181.00	2.62	7.126	0.103
885	AS568-211	181.00	3.00	7.126	0.118
886	AS568-216	181.00	3.53	7.126	0.139
887	AS568-221	181.00	4.00	7.126	0.157
888	AS568-231	181.00	5.00	7.126	0.197
889	AS568-234	181.00	5.30	7.126	0.209
890	AS568-238	181.00	5.70	7.126	0.224
891	AS568-241	181.00	6.00	7.126	0.236
892	AS568-192	182.00	1.00	7.165	0.039
893	AS568-199	182.00	1.78	7.165	0.070
894	AS568-202	182.00	2.00	7.165	0.079
895	AS568-208	182.00	2.62	7.165	0.103
896	AS568-212	182.00	3.00	7.165	0.118
897	AS568-217	182.00	3.53	7.165	0.139

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
898	AS568-222	182.00	4.00	7.165	0.157
899	AS568-232	182.00	5.00	7.165	0.197
900	AS568-235	182.00	5.30	7.165	0.209
901	AS568-239	182.00	5.70	7.165	0.224
902	AS568-242	182.00	6.00	7.165	0.236
903	AS568-193	183.00	1.00	7.205	0.039
904	AS568-200	183.00	1.78	7.205	0.070
905	AS568-203	183.00	2.00	7.205	0.079
906	AS568-209	183.00	2.62	7.205	0.103
907	AS568-213	183.00	3.00	7.205	0.118
908	AS568-218	183.00	3.53	7.205	0.139
909	AS568-223	183.00	4.00	7.205	0.157
910	AS568-233	183.00	5.00	7.205	0.197
911	AS568-236	183.00	5.30	7.205	0.209
912	AS568-240	183.00	5.70	7.205	0.224
913	AS568-243	183.00	6.00	7.205	0.236
914	AS568-194	184.00	1.00	7.244	0.039
915	AS568-201	184.00	1.78	7.244	0.070
916	AS568-204	184.00	2.00	7.244	0.079
917	AS568-210	184.00	2.62	7.244	0.103
918	AS568-214	184.00	3.00	7.244	0.118
919	AS568-219	184.00	3.53	7.244	0.139
920	AS568-224	184.00	4.00	7.244	0.157
921	AS568-234	184.00	5.00	7.244	0.197
922	AS568-237	184.00	5.30	7.244	0.209
923	AS568-241	184.00	5.70	7.244	0.224
924	AS568-244	184.00	6.00	7.244	0.236
925	AS568-195	185.00	1.00	7.283	0.039
926	AS568-202	185.00	1.78	7.283	0.070

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
927	AS568-205	185.00	2.00	7.283	0.079
928	AS568-211	185.00	2.62	7.283	0.103
929	AS568-215	185.00	3.00	7.283	0.118
930	AS568-220	185.00	3.53	7.283	0.139
931	AS568-225	185.00	4.00	7.283	0.157
932	AS568-235	185.00	5.00	7.283	0.197
933	AS568-238	185.00	5.30	7.283	0.209
934	AS568-242	185.00	5.70	7.283	0.224
935	AS568-245	185.00	6.00	7.283	0.236
936	AS568-196	186.00	1.00	7.323	0.039
937	AS568-203	186.00	1.78	7.323	0.070
938	AS568-206	186.00	2.00	7.323	0.079
939	AS568-212	186.00	2.62	7.323	0.103
940	AS568-216	186.00	3.00	7.323	0.118
941	AS568-221	186.00	3.53	7.323	0.139
942	AS568-226	186.00	4.00	7.323	0.157
943	AS568-236	186.00	5.00	7.323	0.197
944	AS568-239	186.00	5.30	7.323	0.209
945	AS568-243	186.00	5.70	7.323	0.224
946	AS568-246	186.00	6.00	7.323	0.236
947	AS568-197	187.00	1.00	7.362	0.039
948	AS568-204	187.00	1.78	7.362	0.070
949	AS568-207	187.00	2.00	7.362	0.079
950	AS568-213	187.00	2.62	7.362	0.103
951	AS568-217	187.00	3.00	7.362	0.118
952	AS568-222	187.00	3.53	7.362	0.139
953	AS568-227	187.00	4.00	7.362	0.157
954	AS568-237	187.00	5.00	7.362	0.197
955	AS568-240	187.00	5.30	7.362	0.209

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
956	AS568-244	187.00	5.70	7.362	0.224
957	AS568-247	187.00	6.00	7.362	0.236
958	AS568-198	188.00	1.00	7.402	0.039
959	AS568-205	188.00	1.78	7.402	0.070
960	AS568-208	188.00	2.00	7.402	0.079
961	AS568-214	188.00	2.62	7.402	0.103
962	AS568-218	188.00	3.00	7.402	0.118
963	AS568-223	188.00	3.53	7.402	0.139
964	AS568-228	188.00	4.00	7.402	0.157
965	AS568-238	188.00	5.00	7.402	0.197
966	AS568-241	188.00	5.30	7.402	0.209
967	AS568-245	188.00	5.70	7.402	0.224
968	AS568-248	188.00	6.00	7.402	0.236
969	AS568-199	189.00	1.00	7.441	0.039
970	AS568-206	189.00	1.78	7.441	0.070
971	AS568-209	189.00	2.00	7.441	0.079
972	AS568-215	189.00	2.62	7.441	0.103
973	AS568-219	189.00	3.00	7.441	0.118
974	AS568-224	189.00	3.53	7.441	0.139
975	AS568-229	189.00	4.00	7.441	0.157
976	AS568-239	189.00	5.00	7.441	0.197
977	AS568-242	189.00	5.30	7.441	0.209
978	AS568-246	189.00	5.70	7.441	0.224
979	AS568-249	189.00	6.00	7.441	0.236
980	AS568-200	190.00	1.00	7.480	0.039
981	AS568-207	190.00	1.78	7.480	0.070
982	AS568-210	190.00	2.00	7.480	0.079
983	AS568-216	190.00	2.62	7.480	0.103
984	AS568-220	190.00	3.00	7.480	0.118

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
985	AS568-225	190.00	3.53	7.480	0.139
986	AS568-230	190.00	4.00	7.480	0.157
987	AS568-240	190.00	5.00	7.480	0.197
988	AS568-243	190.00	5.30	7.480	0.209
989	AS568-247	190.00	5.70	7.480	0.224
990	AS568-250	190.00	6.00	7.480	0.236
991	AS568-201	191.00	1.00	7.520	0.039
992	AS568-208	191.00	1.78	7.520	0.070
993	AS568-211	191.00	2.00	7.520	0.079
994	AS568-217	191.00	2.62	7.520	0.103
995	AS568-221	191.00	3.00	7.520	0.118
996	AS568-226	191.00	3.53	7.520	0.139
997	AS568-231	191.00	4.00	7.520	0.157
998	AS568-241	191.00	5.00	7.520	0.197
999	AS568-244	191.00	5.30	7.520	0.209
1000	AS568-248	191.00	5.70	7.520	0.224
1001	AS568-251	191.00	6.00	7.520	0.236
1002	AS568-202	192.00	1.00	7.559	0.039
1003	AS568-209	192.00	1.78	7.559	0.070
1004	AS568-212	192.00	2.00	7.559	0.079
1005	AS568-218	192.00	2.62	7.559	0.103
1006	AS568-222	192.00	3.00	7.559	0.118
1007	AS568-227	192.00	3.53	7.559	0.139
1008	AS568-232	192.00	4.00	7.559	0.157
1009	AS568-242	192.00	5.00	7.559	0.197
1010	AS568-245	192.00	5.30	7.559	0.209
1011	AS568-249	192.00	5.70	7.559	0.224
1012	AS568-252	192.00	6.00	7.559	0.236
1013	AS568-203	193.00	1.00	7.598	0.039

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
1014	AS568-210	193.00	1.78	7.598	0.070
1015	AS568-213	193.00	2.00	7.598	0.079
1016	AS568-219	193.00	2.62	7.598	0.103
1017	AS568-223	193.00	3.00	7.598	0.118
1018	AS568-228	193.00	3.53	7.598	0.139
1019	AS568-233	193.00	4.00	7.598	0.157
1020	AS568-243	193.00	5.00	7.598	0.197
1021	AS568-246	193.00	5.30	7.598	0.209
1022	AS568-250	193.00	5.70	7.598	0.224
1023	AS568-253	193.00	6.00	7.598	0.236
1024	AS568-204	194.00	1.00	7.638	0.039
1025	AS568-211	194.00	1.78	7.638	0.070
1026	AS568-214	194.00	2.00	7.638	0.079
1027	AS568-220	194.00	2.62	7.638	0.103
1028	AS568-224	194.00	3.00	7.638	0.118
1029	AS568-229	194.00	3.53	7.638	0.139
1030	AS568-234	194.00	4.00	7.638	0.157
1031	AS568-244	194.00	5.00	7.638	0.197
1032	AS568-247	194.00	5.30	7.638	0.209
1033	AS568-251	194.00	5.70	7.638	0.224
1034	AS568-254	194.00	6.00	7.638	0.236
1035	AS568-205	195.00	1.00	7.677	0.039
1036	AS568-212	195.00	1.78	7.677	0.070
1037	AS568-215	195.00	2.00	7.677	0.079
1038	AS568-221	195.00	2.62	7.677	0.103
1039	AS568-225	195.00	3.00	7.677	0.118
1040	AS568-230	195.00	3.53	7.677	0.139
1041	AS568-235	195.00	4.00	7.677	0.157
1042	AS568-245	195.00	5.00	7.677	0.197

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
1043	AS568-248	195.00	5.30	7.677	0.209
1044	AS568-252	195.00	5.70	7.677	0.224
1045	AS568-255	195.00	6.00	7.677	0.236
1046	AS568-206	196.00	1.00	7.717	0.039
1047	AS568-213	196.00	1.78	7.717	0.070
1048	AS568-216	196.00	2.00	7.717	0.079
1049	AS568-222	196.00	2.62	7.717	0.103
1050	AS568-226	196.00	3.00	7.717	0.118
1051	AS568-231	196.00	3.53	7.717	0.139
1052	AS568-236	196.00	4.00	7.717	0.157
1053	AS568-246	196.00	5.00	7.717	0.197
1054	AS568-249	196.00	5.30	7.717	0.209
1055	AS568-253	196.00	5.70	7.717	0.224
1056	AS568-256	196.00	6.00	7.717	0.236
1057	AS568-207	197.00	1.00	7.756	0.039
1058	AS568-214	197.00	1.78	7.756	0.070
1059	AS568-217	197.00	2.00	7.756	0.079
1060	AS568-223	197.00	2.62	7.756	0.103
1061	AS568-227	197.00	3.00	7.756	0.118
1062	AS568-232	197.00	3.53	7.756	0.139
1063	AS568-237	197.00	4.00	7.756	0.157
1064	AS568-247	197.00	5.00	7.756	0.197
1065	AS568-250	197.00	5.30	7.756	0.209
1066	AS568-254	197.00	5.70	7.756	0.224
1067	AS568-257	197.00	6.00	7.756	0.236
1068	AS568-208	198.00	1.00	7.795	0.039
1069	AS568-215	198.00	1.78	7.795	0.070
1070	AS568-218	198.00	2.00	7.795	0.079
1071	AS568-224	198.00	2.62	7.795	0.103

No.	Standard Size (AS568)	ID (mm)	CS (mm)	ID (inch)	CS (inch)
1072	AS568-228	198.00	3.00	7.795	0.118
1073	AS568-233	198.00	3.53	7.795	0.139
1074	AS568-238	198.00	4.00	7.795	0.157
1075	AS568-248	198.00	5.00	7.795	0.197
1076	AS568-251	198.00	5.30	7.795	0.209
1077	AS568-255	198.00	5.70	7.795	0.224
1078	AS568-258	198.00	6.00	7.795	0.236
1079	AS568-209	199.00	1.00	7.835	0.039
1080	AS568-216	199.00	1.78	7.835	0.070
1081	AS568-219	199.00	2.00	7.835	0.079
1082	AS568-225	199.00	2.62	7.835	0.103
1083	AS568-229	199.00	3.00	7.835	0.118
1084	AS568-234	199.00	3.53	7.835	0.139
1085	AS568-239	199.00	4.00	7.835	0.157
1086	AS568-249	199.00	5.00	7.835	0.197
1087	AS568-252	199.00	5.30	7.835	0.209
1088	AS568-256	199.00	5.70	7.835	0.224
1089	AS568-259	199.00	6.00	7.835	0.236
1090	AS568-210	200.00	1.00	7.874	0.039
1091	AS568-217	200.00	1.78	7.874	0.070
1092	AS568-220	200.00	2.00	7.874	0.079
1093	AS568-226	200.00	2.62	7.874	0.103
1094	AS568-230	200.00	3.00	7.874	0.118
1095	AS568-235	200.00	3.53	7.874	0.139
1096	AS568-240	200.00	4.00	7.874	0.157
1097	AS568-250	200.00	5.00	7.874	0.197
1098	AS568-253	200.00	5.30	7.874	0.209
1099	AS568-257	200.00	5.70	7.874	0.224
1100	AS568-260	200.00	6.00	7.874	0.236